

# TECHNICAL NOTE TNOI23

Title: G3 Operator Interfaces communication with AC Tech SCF Variable Freq. Drives over RS485

**Product(s): G3 Operator Interfaces AC Tech SCF Variable Freq. Drive** 

This technical note presents how to connect a Red Lion G3 HMI with an AC Tech SCF Variable Freq. Drive using RS485 communications. The same setup can be used to program a Modular Controller Enhanced Master.

Programming of the G3 is done using Crimson 2.0 software, build 230 or higher, while the drive is setup via its front panel.

### **SYSTEM SETUP:**

The communication setup is as follows:





Fig. 1: Communication Setup


## **CABLE INFORMATION:**

RS485 Communication port information for the AC Tech SCF Drive:



The table below presents the communication cable pin out between the G3 and the AC Tech SCF Variable Freq. Drive:

Connections			
FROM	Name	CONNECTOR PIN OUT	
RLC UNIT		RJ45	DRIVE
1	TxB	1	TxB
2	TxA	2	TxA
3	RxA	-	-
4	RxB	-	-
5	TxEN	-	-
6	Comm	6	Comm
7	TxB	-	-
8	TxA	-	-



## **G3** COMMUNICATION SETUP:

#### COMMUNICATION SETUP IN THE G3 MUST BE AS FOLLOWS:

#### ON THE RS485 COMMUNICATION PORT

Driver on RS485 port: Modbus Universal Master

Protocol Type: Modbus RTU

Slave Response Timeout: 500 ms

Baud Rate: 9600Data Bits: 8 bitsStop Bits: TwoParity: None

#### ON THE DEVICE BELOW THE RS485 COMMUNICATION PORT

Drop Number: 1

• Ping Holding Register: 25




Fig. 2 – RS485 communication port setup in Crimson 2.0 software.




Fig. 3 – AC Tech SCF communication setup in Crimson 2.0 software.

## **AC TECH. SCF DRIVE SETTINGS**

The following settings are mandatory for the communication to work:

- Parameter #15 = 02 serial enable with timer
- Parameter # 43 = Drop address #

**Note:** Ping Holding register should be set to 25.

**Note:** Modbus register 40002 using Red Lion equipment is the equivalent of Register 1 in the AC Tech drive.

See SCF Series Drives Modbus Control Operation by AC Tech for register numbers explanations. <a href="http://www.actechinternational.com/">http://www.actechinternational.com/</a>