



N-Tron[®] Series

Release Notes

NT24k[®] Gigabit Ethernet Switches

Firmware Release | October 2016

Through Version 1.10.2

COPYRIGHT

Copyright, © 2016 Red Lion Controls, Inc.

20 Willow Springs Circle

York, PA 17406

All rights reserved. Red Lion, the Red Lion logo and Sixnet are registered trademarks of Red Lion Controls, Inc. All other company and product names are trademarks of their respective owners.

CONTACT INFORMATION:

AMERICAS

Inside US: +1 (877) 432-9908

Outside US: +1 (717) 767-6511

Hours: 8am-6pm Eastern Standard Time
(UTC/GMT -5 hours)

ASIA-PACIFIC

Shanghai, P.R. China: +86 21-6113-3688 x767

Hours: 9am-6pm China Standard Time
(UTC/GMT +8 hours)

EUROPE

Netherlands: +31 (0) 33 4723-225

France: +31 (0) 1 84 88 75 25

Germany: +49 (0) 1 89 5795-9421

UK: +44 (0) 20 3868 0909

Hours: 9am-5pm Central European Time
(UTC/GMT +1 hour)

Website: www.redlion.net

Email: customer.service@redlion.net

NT24k GIGABIT ETHERNET SWITCH RELEASE NOTES

This Document Applies to these Models:

- NT24k Compact model switches
- NT24k Modular model switches

Document Change History

Version	Date	Description
1.10.2	October 25, 2016	Release 1.10.2 System Firmware
1.10.2	October 25, 2016	Release 1.10.2 Boot Loader
1.9.2	July 25, 2016	Release 1.9.2 System Firmware
1.8.5	July 25, 2016	Release 1.8.5 Boot Loader

NT24k Boot Loader

1.1 Boot Loader 1.8.5 to 1.10.2

- Added support for new switch model.

1.2 Boot Loader 1.5.1 to 1.8.5 Delta

- Added new switch model attribute to the system configuration tag of an exported configuration file.
- Bootloader update to prevent reboot during an update.

1.3 Boot Loader 1.4.0 to 1.5.1 Delta

- Added new switch model attribute to the system configuration tag of an exported configuration file.

NT24k System Firmware

1.4 Firmware Release Version 1.9.2 to 1.10.2 Delta

- Added support for new model
- Added PoE Management features
 - PoE Management web pages
 - PoE Management SNMP MIB
 - PoE Help pages
- Added file transfer ability from the CLI using TFTP
- Added a CLI command to show port settings

Previous Versions

1.5 Firmware Release Version 1.8.5 to 1.9.2 Delta

- Updated and certified CIP to ODVA Conformance Level CT12
- Extended SNMP to support TFTP file transfers
- SNMP MIB improvements

1.6 Firmware Release Version 1.7.4 to 1.8.5 Delta

- Added support for NT24k Compact fiber models
- Added support for TFTP
- Miscellaneous web GUI improvements

1.7 Firmware Release Version 1.6.0 to 1.7.4 Delta

- Added support for NT24k-8TX, NT24k-16TX, NT24k-8TX-POE
- New Features: IEEE 802.1x, RADIUS remote server authentication, SNTP
- Date/time display enhanced to include the time zone and UTC offset
- Corrected N-Ring port set display when mode is disabled
- Fixed: IGMP problem where the querier did not always change to a new lower IP querier
- SNMP enhancements
- Event log enhancements
- Miscellaneous web GUI Improvements
- Corrected data source blocking with port mirroring
- Improved port filtering on port configuration page
- Changed logic to make the default VLAN the management VLAN when the last VLAN is deleted

1.8 **Firmware Release Version 1.5.1 to 1.6.0 Delta**

- New Features: Event Log; System date/time
- Miscellaneous improvements